


LED Aluminium Profiles













Each extrusion is designed to house our flat flex LED strips and provide a myriad of options when a particular lighting effect is desired. Extrusions and a selection of diffuser inserts with matching end caps are available in lengths of up to 2500mm.

Not only does an extrusion prolong the life of the flat flex LED strip, it also ensures even and consistent lighting.



CODE	IMAGE	PROFILE	DESCRIPTION	MOUNTING
EAGLE LEEFCW LEEFWW LEESCW LEESWW LEESCW+U LEESWW+U		60	LED Square aluminium profile acrylic opal matte diffuser Suggested applications: Commercial/Domestic lighting	Surface Recessed Suspended
KESTREL K LEKESTK	***	19 11 8	LED aluminium profile acrylic opal matte diffuser Suggested applications: Room lighting	Suspended
KESTREL P LEKESTP		19 11 25	LED aluminium profile acrylic opal matte diffuser Suggested applications: Room lighting	Suspended
"FALCON" LEFALCON		70	Large LED aluminium profile acrylic opal matte diffuser Suggested applications: Commercial/Domestic lighting	Suspended
Extrusion NS.3385 Diffuser PMMA/NS.3385 End Cap CAP/NS.3385		85	Surface mount aluminum LED profile Light shines out of top and bottom	Surface





CODE	IMAGE	PROFILE	DESCRIPTION	MOUNTING
LESCT30301		30	LED Square corner profile pmma opal matte diffuser pmma semi-clear matte diffuser Suggested applications: Cornice lighting	Surface
LESTC30302		30	LED round profile pmma opal matte diffuser pmma semi-clear matte diffuser Suggested applications: Cornice lighting	Surface
LERPL43S		34.9	LED Square profile side illumination pmma opal matte diffuser pmma semi-clear matte diffuser Suggested applications: Walls, Ceiling	Surface
LERPL43D		35	LED Square profile for up or down illumination pmma opal matte diffuser pmma semi-clear matte diffuser Suggested applications: Ceilings	Surface
RPL35-opal RPL35-frosted		34.8	Recessed powerline 35 Ceiling LED lighting pmma opal matte diffuser pmma clear diffuser Suggested applications: Recessed into ceilings or vertical runs in walls	Recessed in wall or ceiling
SCT001-opal SCT001-frosted		16	LED Square profile pmma opal matte diffuser pmma semi-clear matte diffuser Suggested applications: Cabinetwork, wardrobes	Surface
STC002-opal STC002-frosted		16	LED corner profile pmma opal matte diffuser pmma semi-clear matte diffuser Suggested applications: Cabinetwork, wardrobes	Surface
1000	The second second	The second second		7/200



CODE	IMAGE	PROFILE	DESCRIPTION	MOUNTING
LUXXO-opal LUXXC-clear		15	LED mounted in fl ush-face channel. Insert with or without wings Suggested applications: Kichens, Cabinets	Surface or Recessed
Micro 8		9 60°lens	Ultra slim extrusion ideal for recessed mounting. Diffuser available in flat or with a 60° lens	Surface or Recessed
RLS003-opal RLS003-frosted		15.6	15mm recessed LED profile pmma opal matte diffuser pmma semi-clear matte diffuser pmma clear diffuser Suggested applications: Recessed into joinery	Recessed Joinery
ARC001-opal ARC001-frosted		17.3	LED ceiling profile pmma clear diffuser pmma opal matte diffuser pmma semi-clear matte diffuser Suggested applications: General lighting	Surface or suspended
ARC002-opal ARC002-frosted		19.3	LED ceiling profile pmma clear diffuser pmma opal matte diffuser Suggested applications: General lighting	Surface or suspended
LEN14		17.2	LED mounted in slimline channel pmma clear diffuser pmma opal matte diffuser Supplied with mounting clips and end caps Suggested applications: Kichens, Cabinets	Surface or Recessed
LEN22		20	LED mounted in slide-face channel Clear or frosted insert Supplied with mounting clips and end caps Suggested applications: Kichens, Cabinets, stairs	Surface or Recessed
LEL16		15.3	LED mounted in slide-face channel Clear or frosted insert Supplied with mounting clips and end caps Suggested applications: Kichens, Cabinets, stairs	Surface or Recessed

